



# Beaded S5

By  
 Werner Aisslinger

Decorative  
 Lighting

Suspension  
 lamps

| Technical Description |                                                                   |                       |           | Packaging           |    |
|-----------------------|-------------------------------------------------------------------|-----------------------|-----------|---------------------|----|
| Degree of Protection  | IP20                                                              | Regulation            | PUSH/DALI | Net Weight per Item | -- |
| Class                 |                                                                   | Light type            |           | Box Sizes           | 0  |
| Adjustable            | DIM                                                               | Light source included | Yes       | Gross Weight        | -- |
| Casambi               |                                                                   | Energy classification | -         |                     |    |
| Certifications        | <div> <div> <div> <div></div> <div>ERC</div> </div> </div> </div> |                       |           |                     |    |

Description

Beaded S is a family of pendant luminaires manufactured in aluminium and blown glass. Beaded is available in an individual version (S1) or in clusters of 3 or 5 light fittings (S3 and S5), as well as in a horizontal version with two or three luminaires (SH2 and SH3). Its double blown glass diffuser is available in opal white or smoke grey; the latter option contains a flat internal diffuser to prevent the light source from being seen. These luminaires can be freely installed at different heights, meaning they can be adapted to any height. The central aluminium ring is made with a textured matte black finish.

Finishes

SHADE

Opal white

Smoke Grey

Collection

Beaded S

Beaded F

Beaded T

Beaded C

| Codes  | Luminaire            | Light Source                                          |
|--------|----------------------|-------------------------------------------------------|
| 772350 | BEADED S5 SMOKE GREY | LED 10 x 11W 12500lm 2700K CRI>=90 230V DIM PUSH/DALI |
| 772351 | BEADED S5 OPAL       | LED 10 x 11W 12500lm 2700K CRI>=90 230V DIM PUSH/DALI |

