



Blokinline LEDtube S 1200

By
Sin Diseñador

Architectural
Lighting

Collections

Description

Collection of linear luminaires measuring 900, 1200, 1800 and 2400 mm in length and 30 mm in diameter. Their slenderness and the absence of mechanical suspension cables make Blokinline LEDtube a tremendously light luminaire in visual terms, but one which also offers high lighting power. Finishes: matte white, matte black and brass.

Technical Description				Packaging	
Degree of Protection	IP20	Regulation	PUSH/DALI	Net Weight per Item	--
Class	II	Light type		Box Sizes	0
Adjustable	DIM	Light source included	Yes	Gross Weight	--
Certifications	ERC	Energy classification	-		

Finishes

SHADE

Black (matte)

Brass (matte)

White (matte)

Collection

Blokinline

Blokinline Module

Blokinline LEDtube

Codes	Luminaire	Light Source
768810T	BLOKINLINE LEDTUBE S 1200 BLACK	LED 23W 3942lm 525mA 2700K CRI>=90 230V DIM PUSH/DALI
768811T	BLOKINLINE LEDTUBE S 1200 WHITE	LED 23W 3942lm 525mA 2700K CRI>=90 230V DIM PUSH/DALI
768812T	BLOKINLINE LEDTUBE S 1200 BRASS	LED 23W 3942lm 525mA 2700K CRI>=90 230V DIM PUSH/DALI

DOWNLOADS

