



Blokinline LEDtube S 1800

By
Sin Diseñador

Architectural Lighting

Collections

Description

Collection of linear luminaires measuring 900, 1200, 1800 and 2400 mm in length and 30 mm in diameter. Their slenderness and the absence of mechanical suspension cables make Blokinline LEDtube a tremendously light luminaire in visual terms, but one which also offers high lighting power. Finishes: matte white, matte black and brass.

Technical Description			Packaging
Degree of Protection		Regulation	PUSH/DALI
Class		Light type	
Adjustable		Light source included	Yes
Certifications		Energy classification	-

Finishes

SHADE

Black (matte)

Brass (matte)

White (matte)

Collection

Blokinline

Blokinline Module

Blokinline LEDtube

Codes	Luminaire	Light Source
768820T	BLOKINLINE LEDTUBE S 1800 BLACK	LED 31W 5278lm 700mA 2700K CRI>=90 230V DIM PUSH/DALI
768821T	BLOKINLINE LEDTUBE S 1800 WHITE	LED 31W 5278lm 700mA 2700K CRI>=90 230V DIM PUSH/DALI
768822T	BLOKINLINE LEDTUBE S 1800 BRASS	LED 31W 5278lm 700mA 2700K CRI>=90 230V DIM PUSH/DALI

DOWNLOADS

