



Blokinline LEDtube S 2400

By
Sin Diseñador

Architectural
Lighting

Collections

Description

Collection of linear luminaires measuring 900, 1200, 1800 and 2400 mm in length and 30 mm in diameter. Their slenderness and the absence of mechanical suspension cables make Blokinline LEDtube a tremendously light luminaire in visual terms, but one which also offers high lighting power. Finishes: matte white, matte black and brass.

Technical Description				Packaging	
Degree of Protection	IP20	Regulation	PUSH/DALI	Net Weight per Item	--
Class	II	Light type		Box Sizes	17 x 10 x 247 cm - 0,042 m3
Adjustable	DIM	Light source included	Yes	Gross Weight	3.50 Kg
Certifications	ERC	Energy classification	-		

Finishes

SHADE

Black (matte)

Brass (matte)

White (matte)

Collection

Blokinline

Blokinline Module

Blokinline LEDtube

Codes	Luminaire	Light Source
768830T	BLOKINLINE LEDTUBE S 2400 BLACK	LED 46W 7871lm 1050mA 2700K CRI>=90 230V DIM PUSH/DALI
768831T	BLOKINLINE LEDTUBE S 2400 WHITE	LED 46W 7871lm 1050mA 2700K CRI>=90 230V DIM PUSH/DALI
768832T	BLOKINLINE LEDTUBE S 2400 BRASS	LED 46W 7871lm 1050mA 2700K CRI>=90 230V DIM PUSH/DALI

DOWNLOADS

