

CERES PENDANT CEILING MOUNTING PLATE

FINISH

antique bronze with honed alabaster
bronze with honed alabaster

DIMENSIONS (body of fixture)

996 x 920 x 90 mm (l x w x h)

WEIGHT

30kg (66.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 250 mm

maximum on request 8100 mm

supplied with 1000mm drop rod (16 mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 110w - 2700k

110-130v - integrated LED - 110w - 2700k

LED driver to be installed in the ceiling cavity or remote

drivers must be installed up to 20 meters from the body of the light

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI option available (220-240v only)

0/1-10v (220-240v) - on request


CEILING ROSE / PLATE

ceiling plate - 180mm x 180mm x 10mm

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

CERES PENDANT CEILING ROSE

FINISH

antique bronze with honed alabaster
bronze with honed alabaster

DIMENSIONS (body of fixture)

996 x 920 x 90 mm (l x w x h)

WEIGHT

30kg (66.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 305 mm

maximum on request 8160 mm

supplied with 1000mm drop rod (16 mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 110w - 2700k

110-130v - integrated LED - 110w - 2700k

LED driver to be installed in the ceiling rose

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI option available (220-240v only)

0/1-10v (220-240v) - on request




CEILING ROSE / PLATE

ceiling rose - 240mm x 240mm x 65mm

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

CERES PENDANT CEILING MOUNTING PLATE - DALI A

FINISH

antique bronze with honed alabaster
bronze with honed alabaster

DIMENSIONS (body of fixture)

996 x 920 x 90 mm (l x w x h)

WEIGHT

30kg (66.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 250 mm

maximum on request 8100 mm

supplied with 1000mm drop rod (16 mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 110w - 2700k

DALI LED driver to be installed in the ceiling cavity or remote drivers must be installed up to 20 meters from the body of the light

DIMMING

DALI Compatible


CEILING ROSE / PLATE

ceiling plate - 180mm x 180mm x 7mm

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

CERES PENDANT CEILING ROSE - DALI A

FINISH

bronze with honed alabaster

DIMENSIONS (body of fixture)

996 x 920 x 90 mm (l x w x h)

WEIGHT

30kg (66.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 305 mm

maximum on request 8160 mm

supplied with 1000mm drop rod (16 mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 110w - 2700k

DALI LED driver to be installed in the ceiling rose

DIMMING

DALI compatible


CEILING ROSE / PLATE

ceiling rose - 240mm x 240mm x 65mm

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

CERES PENDANT

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
CERPEOABHA-CM-240	antique bronze with honed alabaster	220 - 240V
CERPEOABHA-CM-DALIA-240	antique bronze with honed alabaster	220 - 240V
CERPEOABHA-CM-110	antique bronze with honed alabaster	110 - 130V
CERPEOBZHA-CR-240	bronze with honed alabaster	220 - 240V
CERPEOBZHA-CR-DALIA-240	bronze with honed alabaster	220 - 240V
CERPEOBZHA-CR-110	bronze with honed alabaster	110 - 130V