



Crosshatch Number

By
Brad Ascalon

Decorative
Lighting

Wall lamps



Technical Description				Packaging	
Degree of Protection	IP20	Regulation	PHASE CUT	Net Weight per Item	--
Class		Light type		Box Sizes	25 x 19 x 42 cm - 0,02 m3
Adjustable	DIM	Light source included	Yes	Gross Weight	--
Certifications	ETL	Energy classification	-		

Description

Crosshatch is formed by a metal reticular structure available in three formats, which can be combined to create multiple configurations. Its light structure allows the creation of large volumes, without overloading the space. In fact, its main appeal are the different spaces and lights generated wherever it is installed. As a light source, it uses a LED light with a phase-cut dimmer, which is located in an opal white glass diffuser with a 15 cm diameter. The system guarantees optimal visual comfort, as well as glare-free lighting. *Braille option available under request.

Finishes

SHADE



Collection

-  Crosshatch System
-  Crosshatch W
-  Crosshatch C
-  Crosshatch S

Codes	Luminaire	Light Source
767961	CROSSHATCH NUMBER BLACK	LED 10W 895lm 2700K CRI>90 230V DIM PHASE CUT
767962	CROSSHATCH NUMBER BRASS	LED 10W 895lm 2700K CRI>90 230V DIM PHASE CUT

DOWNLOADS

-  Crosshatch_W_3D.zip
-  Crosshatch_CW_Assembly.pdf
-  Crosshatch_Spec_Sheet.pdf

