

JULES PENDANT 2

FINISH

2 cast bronze elements with matt opal glass

DIMENSIONS (body of fixture)

550 x 550 x 520 mm (l x w x h)

WEIGHT

12kg (26.5lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

550 mm

ILLUMINATION

220-240v - 1 x E27 - 60w - or 8w LED 2700k

110-130v - 1 x E26 - 60w - or 8w LED 2700k

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI

option available (220-240v only)

0/1-10v (220-240v) - on request


CEILING ROSE / PLATE

ceiling plate - 110mm (diameter)

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

JULES PENDANT 2 VAULT

FINISH

2 cast bronze elements with matt opal glass and drop rod

DIMENSIONS (body of fixture)

550 x 550 x 550 mm (l x w x h)

WEIGHT

15kg (33lbs)

please ensure ceiling structure is strong enough to support the weight of the light

MINIMUM OVERALL DROP

600 mm

ILLUMINATION

220-240v - 1 x E27 - 60w - or 8w LED 2700k

110-130v - 1 x E26 - 60w - or 8w LED 2700k

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI

option available (220-240v only)

0/1-10v (220-240v) - on request


CEILING ROSE / PLATE

ceiling plate - 110mm (diameter)


CERTIFICATION



VIEW ON WEBSITE



mounting plate dimensions



*Diagrams are not to scale.

JULES PENDANT 4

FINISH

4 cast bronze elements with matt opal glass

DIMENSIONS (body of fixture)

550 x 550 x 820 mm (l x w x h)

WEIGHT

14kg (30.9lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

820 mm

ILLUMINATION

220-240v - 1 x E27 - 60w - or 8w LED 2700k

110-130v - 1 x E26 - 60w - or 8w LED 2700k

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI

option available (220-240v only)

0/1-10v (220-240v) - on request


CEILING ROSE / PLATE

ceiling plate - 110mm (diameter)


CERTIFICATION



VIEW ON WEBSITE



mounting plate dimensions



*Diagrams are not to scale.

JULES PENDANT 4 VAULT

FINISH

4 cast bronze elements with matt opal glass and drop rod

DIMENSIONS (body of fixture)

550 x 550 x 820 mm (l x w x h)

WEIGHT

14kg (30.9lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 900 mm

maximum on request 3850 mm

supplied with 2 x 1000mm drop rod (12.7 mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - 1 x E27 - 60w - or 8w LED 2700k

110-130v - 1 x E26 - 60w - or 8w LED 2700k

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI


option available (220-240v only)

0/1-10v (220-240v) - on request

CEILING ROSE / PLATE

ceiling plate - 110mm (diameter)

CERTIFICATION



*Diagrams are not to scale.

JULES PENDANT 6

FINISH

6 cast bronze elements with matt opal glass

DIMENSIONS (body of fixture)

550 x 550 x 1150 mm (l x w x h)

WEIGHT

16kg (35.3lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

1150 mm

ILLUMINATION

220-240v - 1 x E27 - 60w - or 8w LED 2700k

110-130v - 1 x E26 - 60w - or 8w LED 2700k

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI

option available (220-240v only)

0/1-10v (220-240v) - on request


CEILING ROSE / PLATE

ceiling plate - 110mm (diameter)

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

JULES PENDANT 6 VAULT

FINISH

6 cast bronze elements with matt opal glass and drop rod

DIMENSIONS (body of fixture)

550 x 550 x 1150 mm (l x w x h)

WEIGHT

19kg (41.9lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 1170 mm

maximum on request 9150 mm

supplied with 2 x 1000mm drop rod (12.7 mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - 1 x E27 - 60w - or 8w LED 2700k

110-130v - 1 x E26 - 60w - or 8w LED 2700k

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI



option available (220-240v only)

0/1-10v (220-240v) - on request


CEILING ROSE / PLATE

ceiling plate - 110mm (diameter)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

JULES PENDANT 8

FINISH

8 cast bronze elements with matt opal glass

DIMENSIONS (body of fixture)

550 x 550 x 1450 mm (l x w x h)

WEIGHT

18kg (39.7lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

1450 mm

ILLUMINATION

220-240v - 1 x E27 - 60w - or 8w LED 2700k

110-130v - 1 x E26 - 60w - or 8w LED 2700k

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI
option available (220-240v only)
0/1-10v (220-240v) - on request


CEILING ROSE / PLATE

ceiling plate - 110mm (diameter)

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

JULES PENDANT 8 VAULT

FINISH

8 cast bronze elements with matt opal glass and drop rod

DIMENSIONS (body of fixture)

550 x 550 x 1450 mm (l x w x h)

WEIGHT

21kg (46.3lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 1470 mm

maximum on request 9450 mm

supplied with 2 x 1000mm drop rod (12.7 mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - 1 x E27 - 60w - or 8w LED 2700k

110-130v - 1 x E26 - 60w - or 8w LED 2700k

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI



option available (220-240v only)

0/1-10v (220-240v) - on request


CEILING ROSE / PLATE

ceiling plate - 110mm (diameter)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

JULES PENDANT 10

FINISH

10 cast bronze elements with matt opal glass

DIMENSIONS (body of fixture)

550 x 550 x 1750 mm (l x w x h)

WEIGHT

20kg (44.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

1750 mm

ILLUMINATION

220-240v - 1 x E27 - 60w - or 8w LED 2700k

110-130v - 1 x E26 - 60w - or 8w LED 2700k

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI

option available (220-240v only)

0/1-10v (220-240v) - on request


CEILING ROSE / PLATE

ceiling plate - 110mm (diameter)

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

JULES PENDANT 10 VAULT

FINISH

10 cast bronze elements with matt opal glass and drop rod

DIMENSIONS (body of fixture)

550 x 550 x 1750 mm (l x w x h)

WEIGHT

23kg (50.7lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 1790 mm

maximum on request 9750 mm

supplied with 2 x 1000mm drop rod (12.7 mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - 1 x E27 - 60w - or 8w LED 2700k

110-130v - 1 x E26 - 60w - or 8w LED 2700k

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI



option available (220-240v only)

0/1-10v (220-240v) - on request


CEILING ROSE / PLATE

ceiling plate - 110mm (diameter)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

JULES PENDANT 12

FINISH

12 cast bronze elements with matt opal glass

DIMENSIONS (body of fixture)

550 x 550 x 2050 mm (l x w x h)

WEIGHT

22kg (48.5 lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

2050 mm

ILLUMINATION

220-240v - 1 x E27 - 60w - or 8w LED 2700k

110-130v - 1 x E26 - 60w - or 8w LED 2700k

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI
option available (220-240v only)
0/1-10v (220-240v) - on request



CEILING ROSE / PLATE

ceiling plate - 110mm (diameter)


CERTIFICATION



VIEW ON WEBSITE



mounting plate dimensions



*Diagrams are not to scale.

JULES PENDANT 12 VAULT

FINISH

12 cast bronze elements with matt opal glass and drop rod

DIMENSIONS (body of fixture)

550 x 550 x 2050 mm (l x w x h)

WEIGHT

25kg (55.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 2090 mm

maximum on request 1050 mm

supplied with 2 x 1000mm drop rod (12.7 mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - 1 x E27 - 60w - or 8w LED 2700k

110-130v - 1 x E26 - 60w - or 8w LED 2700k

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI



option available (220-240v only)

0/1-10v (220-240v) - on request


CEILING ROSE / PLATE

ceiling plate - 110mm (diameter)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

JULES PENDANT

JULES PENDANT 2

SKU NUMBER	FINISH DESCRIPTION	TYPE	VOLTAGE
JULPE2CBMO-110	2 cast bronze elements with matt opal glass	-	110 - 130V
JULPE2CBMO-240	2 cast bronze elements with matt opal glass	-	220 - 240V
JULPE2CBMO-DALIA-240	2 cast bronze elements with matt opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

JULES PENDANT 2 VAULT

SKU NUMBER	FINISH DESCRIPTION	TYPE	VOLTAGE
JULPE2VCBMO-110	2 cast bronze elements with matt opal glass and drop rod	-	110 - 130V
JULPE2VCBMO-240	2 cast bronze elements with matt opal glass and drop rod	-	220 - 240V
JULPE2VCBMO-DALIA-240	2 cast bronze elements with matt opal glass and drop rod	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

JULES PENDANT 4

SKU NUMBER	FINISH DESCRIPTION	TYPE	VOLTAGE
JULPE4CBMO-110	4 cast bronze elements with matt opal glass	-	110 - 130V
JULPE4CBMO-240	4 cast bronze elements with matt opal glass	-	220 - 240V
JULPE4CBMO-DALIA-240	4 cast bronze elements with matt opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

JULES PENDANT 4 VAULT

SKU NUMBER	FINISH DESCRIPTION	TYPE	VOLTAGE
JULPE4VCBMO-110	4 cast bronze elements with matt opal glass and drop rod	-	110 - 130V
JULPE4VCBMO-240	4 cast bronze elements with matt opal glass and drop rod	-	220 - 240V
JULPE4VCBMO-DALIA-240	4 cast bronze elements with matt opal glass and drop rod	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

JULES PENDANT

JULES PENDANT 6

SKU NUMBER	FINISH DESCRIPTION	TYPE	VOLTAGE
JULPE6CBMO-110	6 cast bronze elements with matt opal glass	-	110 - 130V
JULPE6CBMO-240	6 cast bronze elements with matt opal glass	-	220 - 240V
JULPE6CBMO-DALIA-240	6 cast bronze elements with matt opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

JULES PENDANT 6 VAULT

SKU NUMBER	FINISH DESCRIPTION	TYPE	VOLTAGE
JULPE6VCBMO-110	6 cast bronze elements with matt opal glass and drop rod	-	110 - 130V
JULPE6VCBMO-240	6 cast bronze elements with matt opal glass and drop rod	-	220 - 240V
JULPE6VCBMO-DALIA-240	6 cast bronze elements with matt opal glass and drop rod	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

JULES PENDANT 8

SKU NUMBER	FINISH DESCRIPTION	TYPE	VOLTAGE
JULPE8CBMO-110	8 cast bronze elements with matt opal glass	-	110 - 130V
JULPE8CBMO-240	8 cast bronze elements with matt opal glass	-	220 - 240V
JULPE8CBMO-DALIA-240	8 cast bronze elements with matt opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

JULES PENDANT 8 VAULT

SKU NUMBER	FINISH DESCRIPTION	TYPE	VOLTAGE
JULPE8VCBMO-110	8 cast bronze elements with matt opal glass and drop rod	-	110 - 130V
JULPE8VCBMO-240	8 cast bronze elements with matt opal glass and drop rod	-	220 - 240V
JULPE8VCBMO-DALIA-240	8 cast bronze elements with matt opal glass and drop rod	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

JULES PENDANT

JULES PENDANT 10

SKU NUMBER	FINISH DESCRIPTION	TYPE	VOLTAGE
JULPE10CBMO-110	10 cast bronze elements with matt opal glass	-	110 - 130V
JULPE10CBMO-240	10 cast bronze elements with matt opal glass	-	220 - 240V
JULPE10CBMO-DALIA-240	10 cast bronze elements with matt opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

JULES PENDANT 10 VAULT

SKU NUMBER	FINISH DESCRIPTION	TYPE	VOLTAGE
JULPE10VCBMO-110	10 cast bronze elements with matt opal glass and drop rod	-	110 - 130V
JULPE10VCBMO-240	10 cast bronze elements with matt opal glass and drop rod	-	220 - 240V
JULPE10VCBMO-DALIA-240	10 cast bronze elements with matt opal glass and drop rod	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

JULES PENDANT 12

SKU NUMBER	FINISH DESCRIPTION	TYPE	VOLTAGE
JULPE12CBMO-110	12 cast bronze elements with matt opal glass	-	110 - 130V
JULPE12CBMO-240	12 cast bronze elements with matt opal glass	-	220 - 240V
JULPE12CBMO-DALIA-240	12 cast bronze elements with matt opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

JULES PENDANT 12 VAULT

SKU NUMBER	FINISH DESCRIPTION	TYPE	VOLTAGE
JULPE12VCBMO-110	12 cast bronze elements with matt opal glass and drop rod	-	110 - 130V
JULPE12VCBMO-240	12 cast bronze elements with matt opal glass and drop rod	-	220 - 240V
JULPE12VCBMO-DALIA-240	12 cast bronze elements with matt opal glass and drop rod	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V