



Marc C 160

By
David Abad

Architectural
Lighting Collections

Technical Description				Packaging	
Degree of Protection	IP20	Regulation	PUSH/DALI	Net Weight per Item	2.00 Kg
Class		Light type		Box Sizes	17 x 11 x 181 cm - 0,034 m3
Adjustable	DIM	Light source included	Yes	Gross Weight	--
Casambi		Energy classification	D		
Certifications					

Description

A LED lamp collection composed of a suspension (S), ceiling (C), and two wall (W and ARM) versions. Made of aluminium, they feature an opal polycarbonate diffuser and emit direct (1L) or indirect (1L) light, or both (2L), except for the Marc C (1L). The entire collection is available in different finishes: matte grey, satin white, satin black, and oak laminate. A version featuring two "on" settings and a dimmer version are available. Other measurements, finishes and an emergency kit are optional.

Finishes



Collection



Codes	Luminaire	Light Source
839470	MARC C160 1L LED GREY	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V
839472	MARC C160 1L LED BLACK	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V
839472D	MARC C160 1L LED DIM BLACK	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839471	MARC C160 1L LED WHITE	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V
839473	MARC C160 1L LED OAK	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V
839470D	MARC C160 1L LED DIM GREY	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839471D	MARC C160 1L LED DIM WHITE	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839473D	MARC C160 1L LED DIM OAK	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839474	MARC C160 1L LED WALNUT	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V
839474D	MARC C160 1L LED DIM WALNUT	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI

DOWNLOADS

 Marc_C_Assembly.pdf

 Marc_C_3D.zip

 Marc_C_Photometry.zip

 Marc_C_2D.pdf

