




Marc W 130

By
David Abad

Architectural
Lighting Collections

Technical Description				Packaging	
Degree of Protection	IP20	Regulation	PUSH/DALI	Net Weight per Item	2.00 Kg
Class		Light type		Box Sizes	17 x 11 x 141 cm - 0,026 m3
Adjustable	DIM	Light source included	Yes	Gross Weight	--
Casambi		Energy classification	D		
Certifications	ERAC UL LISTED				

Description

A LED lamp collection composed of a suspension (S), ceiling (C), and two wall (W and ARM) versions. Made of aluminium, they feature an opal polycarbonate diffuser and emit direct (1L) or indirect (1L) light, or both (2L), except for the Marc C (1L). The entire collection is available in different finishes: matte grey, satin white, satin black, and oak laminate. A version featuring two “on” settings and a dimmer version are available. Other measurements, finishes and an emergency kit are optional.

Finishes

SHADE

Black

White

Natural Oak

GreyNatural Walnut

Collection

Marc ARM

Marc C

Marc S

Marc W

Codes	Luminaire	Light Source
839162	MARC W130 1L LED BLACK	LED 20,5W 3536lm 450mA 3000K CRI>=90 230V
839162D	MARC W130 1L LED DIM BLACK	LED 20,5W 3536lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839167	MARC W130 2L LED BLACK	LED 2 x 20,5W 7072lm 450mA 3000K CRI>=90 230V
839167D	MARC W130 2L LED DIM BLACK	LED 2 x 20,5W 7072lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839163	MARC W130 1L LED OAK	LED 20,5W 3536lm 450mA 3000K CRI>=90 230V
839160	MARC W130 1L LED GREY	LED 20,5W 3536lm 450mA 3000K CRI>=90 230V
839161	MARC W130 1L LED WHITE	LED 20,5W 3536lm 450mA 3000K CRI>=90 230V
839160D	MARC W130 1L LED DIM GREY	LED 20,5W 3536lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839161D	MARC W130 1L LED DIM WHITE	LED 20,5W 3536lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839163D	MARC W130 1L LED DIM OAK	LED 20,5W 3536lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839165	MARC W130 2L LED GREY	LED 2 x 20,5W 7072lm 450mA 3000K CRI>=90 230V
839166	MARC W130 2L LED WHITE	LED 2 x 20,5W 7072lm 450mA 3000K CRI>=90 230V
839168	MARC W130 2L LED OAK	LED 2 x 20,5W 7072lm 450mA 3000K CRI>=90 230V
839165D	MARC W130 2L LED DIM GREY	LED 2 x 20,5W 7072lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839166D	MARC W130 2L LED DIM WHITE	LED 2 x 20,5W 7072lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839168D	MARC W130 2L LED DIM OAK	LED 2 x 20,5W 7072lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839164	MARC W130 1L LED WALNUT	LED 20,5W 3536lm 450mA 3000K CRI>=90 230V
839164D	MARC W130 1L LED DIM WALNUT	LED 20,5W 3536lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839169	MARC W130 2L LED WALNUT	LED 2 x 20,5W 7072lm 450mA 3000K CRI>=90 230V
839169D	MARC W130 2L LED DIM WALNUT	LED 2 x 20,5W 7072lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI

DOWNLOADS

↓ Marc_W_Assembly.pdf

↓ Marc_W_3D.zip

↓ Marc_W_Photometry.zip

↓ Marc_W_2D.pdf

