




Marc W 160

By
David Abad

Architectural
Lighting Collections

Technical Description				Packaging	
Degree of Protection	IP20	Regulation	PUSH/DALI	Net Weight per Item	2.00 Kg
Class		Light type		Box Sizes	17 x 11 x 181 cm - 0,034 m3
Adjustable	DIM	Light source included	Yes	Gross Weight	--
Casambi		Energy classification	D		
Certifications	ERAC UL LISTED				

Description

A LED lamp collection composed of a suspension (S), ceiling (C), and two wall (W and ARM) versions. Made of aluminium, they feature an opal polycarbonate diffuser and emit direct (1L) or indirect (1L) light, or both (2L), except for the Marc C (1L). The entire collection is available in different finishes: matte grey, satin white, satin black, and oak laminate. A version featuring two “on” settings and a dimmer version are available. Other measurements, finishes and an emergency kit are optional.

Finishes

SHADE

Black

White

Natural Oak

GreyNatural Walnut

Collection

Marc ARM

Marc C

Marc S

Marc W

Codes	Luminaire	Light Source
839172	MARC W160 1L LED BLACK	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V
839172D	MARC W160 1L LED DIM BLACK	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839177	MARC W160 2L LED BLACK	LED 2 x 25,4W 8840lm 450mA 3000K CRI>=90 230V
839177D	MARC W160 2L LED DIM BLACK	LED 2 x 25,4W 8840lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839170	MARC W160 1L LED GREY	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V
839171	MARC W160 1L LED WHITE	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V
839173	MARC W160 1L LED OAK	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V
839170D	MARC W160 1L LED DIM GREY	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839171D	MARC W160 1L LED DIM WHITE	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839173D	MARC W160 1L LED DIM OAK	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839175	MARC W160 2L LED GREY	LED 2 x 25,4W 8840lm 450mA 3000K CRI>=90 230V
839176	MARC W160 2L LED WHITE	LED 2 x 25,4W 8840lm 450mA 3000K CRI>=90 230V
839178	MARC W160 2L LED OAK	LED 2 x 25,4W 8840lm 450mA 3000K CRI>=90 230V
839175D	MARC W160 2L LED DIM GREY	LED 2 x 25,4W 8840lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839176D	MARC W160 2L LED DIM WHITE	LED 2 x 25,4W 8840lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839178D	MARC W160 2L LED DIM OAK	LED 2 x 25,4W 8840lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839174	MARC W160 1L LED WALNUT	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V
839174D	MARC W160 1L LED DIM WALNUT	LED 25,4W 4420lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI
839179	MARC W160 2L LED WALNUT	LED 2 x 25,4W 8840lm 450mA 3000K CRI>=90 230V
839179D	MARC W160 2L LED DIM WALNUT	LED 2 x 25,4W 8840lm 450mA 3000K CRI>=90 230V DIM PUSH/DALI

DOWNLOADS

 Marc_W_Assembly.pdf

 Marc_W_3D.zip

 Marc_W_Photometry.zip

 Marc_W_2D.pdf

