

## SHARD PENDANT

### FINISH

antique bronze with bronze kiln glass  
antique bronze with honed alabaster  
polished nickel with bronze kiln glass  
polished nickel with honed alabaster

### DIMENSIONS (body of fixture)

650 x 650 x 425 mm (l x w x h)

### WEIGHT

15kg (33.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 550 mm

maximum on request 3094 mm

supplied with 1 x 1000mm drop rod (16 mm dia) as standard (adjustable on site)

### ILLUMINATION

220-240v - integrated LED - 22.5w - 2700k

110-130v - integrated LED - 22.5w - 2700k

### DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard

DALI option available (220-240v only)



### CEILING ROSE / PLATE

ceiling plate - 116mm (diameter)


### CERTIFICATION



### VIEW ON WEBSITE



mounting plate dimensions



\*Diagrams are not to scale.

## SHARD PENDANT DALI A

### FINISH

antique bronze with bronze kiln glass  
antique bronze with honed alabaster  
polished nickel with bronze kiln glass  
polished nickel with honed alabaster

### DIMENSIONS (body of fixture)

650 x 650 x 425 mm (l x w x h)

### WEIGHT

15kg (33.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 550 mm

maximum on request 3094 mm

supplied with 1 x 1000mm drop rod (16 mm dia) as standard  
(adjustable on site)

### ILLUMINATION

220-240v - integrated LED - 22.5w - 2700k

DALI LED converter to be installed in the ceiling rose

### DIMMING

DALI compatible

DALI converter to be installed in the ceiling rose



### CEILING ROSE / PLATE

ceiling plate - 116mm (diameter)


### CERTIFICATION



### VIEW ON WEBSITE



mounting plate dimensions



\*Diagrams are not to scale.

## SHARD PENDANT

## SHARD PENDANT

| SKU NUMBER     | FINISH DESCRIPTION                           | VOLTAGE    |
|----------------|----------------------------------------------|------------|
| SHAPEOABBG-240 | antique bronze with bronze kiln glass- 240V  | 220 - 240V |
| SHAPEOABBG-110 | antique bronze with bronze kiln glass- 110V  | 110 - 130V |
| SHAPEOABHA-240 | antique bronze with honed alabaster- 240V    | 220 - 240V |
| SHAPEOABHA-110 | antique bronze with honed alabaster- 110V    | 110 - 130V |
| SHAPEOPNBG-240 | polished nickel with bronze kiln glass- 240V | 220 - 240V |
| SHAPEOPNBG-110 | polished nickel with bronze kiln glass- 110V | 110 - 130V |
| SHAPEOPNHA-240 | polished nickel with honed alabaster- 240V   | 220 - 240V |
| SHAPEOPNHA-110 | polished nickel with honed alabaster- 110V   | 110 - 130V |

## SHARD PENDANT DALI A

| SKU NUMBER           | FINISH DESCRIPTION                           | TYPE OF DALI                                                                                                                 | VOLTAGE    |
|----------------------|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|------------|
| SHAPEOABBG-DALIA-240 | antique bronze with bronze kiln glass- 240V  | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose | 220 - 240V |
| SHAPEOABHA-DALIA-240 | antique bronze with honed alabaster- 240V    | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose | 220 - 240V |
| SHAPEOPNBG-DALIA-240 | polished nickel with bronze kiln glass- 240V | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose | 220 - 240V |
| SHAPEOPNHA-DALIA-240 | polished nickel with honed alabaster- 240V   | DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose | 220 - 240V |