



# SIS Spotlight C D40

By  
María Güell &  
Carrasquet

Architectural  
Lighting

Collections

## Description

Collection of surface and pendant spotlights manufactured in aluminium, for direct and focused lighting. They have lenses with different angles of aperture (24°, 36° and 60°). The pendant version has the options of opal glass and a striated glass accessory. SIS is available in white, black, grey and brass finishes.

| Technical Description |      |                       |     | Packaging           |    |
|-----------------------|------|-----------------------|-----|---------------------|----|
| Degree of Protection  | IP20 | Regulation            | NO  | Net Weight per Item | -- |
| Class                 | III  | Light type            |     | Box Sizes           | 0  |
| Regulable             | --   | Light source included | Yes | Gross Weight        | -- |
| Certifications        | ERC  | Energy classification | -   |                     |    |

Finishes

SHADE

Black (matte)

Brass (matte)

Grey (matte)

White (matte)

Collection

 Sis Outdoor

 Sis System

 Sis Spot

 Sis Spot S

| Codes  | Luminaire                     | Light Source                    |
|--------|-------------------------------|---------------------------------|
| 771530 | SIS C SPOTLIGHT D40 24° BLACK | LED 4W 350lm 2700K CRI>=90 230V |
| 771531 | SIS C SPOTLIGHT D40 24° WHITE | LED 4W 350lm 2700K CRI>=90 230V |
| 771532 | SIS C SPOTLIGHT D40 24° BRASS | LED 4W 350lm 2700K CRI>=90 230V |
| 771540 | SIS C SPOTLIGHT D40 36° BLACK | LED 4W 350lm 2700K CRI>=90 230V |
| 771541 | SIS C SPOTLIGHT D40 36° WHITE | LED 4W 350lm 2700K CRI>=90 230V |
| 771542 | SIS C SPOTLIGHT D40 36° BRASS | LED 4W 350lm 2700K CRI>=90 230V |
| 771550 | SIS C SPOTLIGHT D40 60° BLACK | LED 4W 350lm 2700K CRI>=90 230V |
| 771551 | SIS C SPOTLIGHT D40 60° WHITE | LED 4W 350lm 2700K CRI>=90 230V |
| 771552 | SIS C SPOTLIGHT D40 60° BRASS | LED 4W 350lm 2700K CRI>=90 230V |
| 771533 | SIS C SPOTLIGHT D40 24° GREY  | LED 4W 350lm 2700K CRI>=90 230V |
| 771543 | SIS C SPOTLIGHT D40 36° GREY  | LED 4W 350lm 2700K CRI>=90 230V |
| 771553 | SIS C SPOTLIGHT D40 60° GREY  | LED 4W 350lm 2700K CRI>=90 230V |

B.lux

María Güell & Carrasquet

www.bluxlighting.com

2/3

DOWNLOADS

