



# Solid SV 160

By  
 Josep Lluís Xuclà

Decorative  
 Lighting

Suspension  
 lamps

| Technical Description |                                                                                     |                       |           | Packaging           |                            |
|-----------------------|-------------------------------------------------------------------------------------|-----------------------|-----------|---------------------|----------------------------|
| Degree of Protection  |  | Regulation            | PUSH/DALI | Net Weight per Item | --                         |
| Class                 |  | Light type            |           | Box Sizes           | 176 x 16 x 10 cm - 0,03 m3 |
| Adjustable            |  | Light source included | Yes       | Gross Weight        | --                         |
| Casambi               |  | Energy classification | G         |                     |                            |
| Certifications        |  |                       |           |                     |                            |

Description

Solid is a suspension luminaire that combines industrial-inspired robustness with cutting-edge technology and high visual comfort. Its clean and bold design fully integrates the light source and uses darklight optics, offering a CRI above 93 and a UGR below 16, ensuring optimal performance without compromising comfort. The suspended version is available in three sizes (108 cm, 164 cm, and 220 cm), and in both horizontal suspension (Solid SH) and vertical suspension (Solid SV) versions. Available finishes: Black, Brass, White, and Aluminium.

Finishes

SHADE

 Aluminium

 Black

 White

 Brass

Collection

 Solid SH

 Solid SV

 Solid F

 Solid C

 Solid W

 Solid WS

| Codes  | Luminaire              | Light Source                                       |
|--------|------------------------|----------------------------------------------------|
| 764010 | SOLID SV 160 BLACK     | LED 9W 895lm 500mA 2700K CRI=90 230V DIM PUSH/DALI |
| 764011 | SOLID SV 160 BRASS     | LED 9W 895lm 500mA 2700K CRI=90 230V DIM PUSH/DALI |
| 764012 | SOLID SV 160 WHITE     | LED 9W 895lm 500mA 2700K CRI=90 230V DIM PUSH/DALI |
| 764013 | SOLID SV 160 ALUMINIUM | LED 9W 895lm 500mA 2700K CRI=90 230V DIM PUSH/DALI |

