





Code	6364
Description	Recessed micro spotlight with painted aluminum body and anodized aluminum heat sink.
Year of production	2008
Typology	recessed ceiling wall
Material	aluminium
Light emission	direct
IP grade	40
Finishes	.01  White
Allimentation	350mA - 2,9Vdc
Technical Data	/W 1W (151 lm source) - 4000K - CRI>90 /WW 1W (143 lm source) - 3000K - CRI>90 /XW 1W (135 lm source) - 2700K - CRI>90
Net weight	0,04 lb
	7,87 inch
	0,79 inch



ACCESSORIES

	Plastic Plastic Box mA 350 500	0215	0,03 lb
---	-----------------------------------	------	---------

	Box + Perforated Plaster mA 350 500	0212	0,22 lb
--	--	------	---------

		0127	0,14 lb
---	--	------	---------

		0128	0,14 lb
---	--	------	---------

ACCESSORIES



Multi-power dimmable driver PUSH - 1...10V, 2-11 Spot
mA 350 500

0141/DIM 0,00 lb
.DIM  DIM



0141/DALI 0,22 lb
.DALI  DALI



0145 0,47 lb



Multi-power DALI dimmable driver, 1-21 Spot
mA 350 500

0145/DALI 0,47 lb
.DIM  1-10V-PUSH
.1-10V  1-10V
.DALI  DALI