





Code	6382
Description	Recessed direct-light spotlight with aluminum body painted matte white (RAL 9010).
Year of production	2010
Typology	recessed ceiling wall
Material	aluminium
Light emission	indirect/diffuse
IP grade	20
Finishes	.01  White
Allimentation	350mA - 2,9Vdc
Technical Data	/B 1W Blue LED - CRI>90 /W 1W (151 lm source) - 4000K - CRI>90 /WW 1W (143 lm source) - 3000K - CRI>90 /XW 1W (132 lm source) - 2700K - CRI>90
Net weight	0,04 lb
	7,87 inch
	0,79 inch



ACCESSORIES

	Plastic Plastic Box mA 350 500	0215	0,03 lb
---	-----------------------------------	------	---------

	Box + Perforated Plaster mA 350 500	0212	0,22 lb
--	--	------	---------

	350mA Driver 1-10 Spot mA350	0128	0,14 lb
---	---------------------------------	------	---------

		0127	0,14 lb
---	--	------	---------

ACCESSORIES



Multi-power dimmable driver PUSH - 1...10V, 2-11 Spot
mA 350 500

0141/DIM 0,00 lb
.DIM  DIM



0141/DALI 0,22 lb
.DALI  DALI



0145 0,47 lb



Multi-power DALI dimmable driver, 1-21 Spot
mA 350 500

0145/DALI 0,47 lb
.DIM  1-10V-PUSH
.1-10V  1-10V
.DALI  DALI