





Code	7516
Description	Illuminator for Joy light system IP65 beam aperture 73°
Year of production	2022
Typology	earth wall ceiling
Material	STAINLESS AISI 316L/INOX 304
Light emission	direct
IP grade	65
Finishes	.45  Anodized aluminum
Allimentation	500mA -2,9Vdc
Technical Data	/W 1.5W (221 lm source) - 4000K - CRI>90 /WW 1.5W (210 lm source) - 3000K - CRI>90 /XW 1.5W (199 lm source) - 2700K - CRI>90
Net weight	0,18 lb
	19,69 inch
	1,18 inch




EXAMPLES OF CONFIGURATIONS






EXAMPLES OF CONFIGURATIONS





EXAMPLES OF CONFIGURATIONS





SYSTEM ELEMENTS



7521	0,15 lb
.01	White
.02	Black
.06	Green
.33	Brushed steel
.34	Corten painted




7522	0,00 lb
.01	White
.02	Black
.06	Green
.33	Brushed steel
.34	Corten painted

ACCESSORIES




0228/R	0,00 lb
--------	---------




Plastic Plastic Box

0216	0,05 lb
------	---------



ACCESSORIES

Kit: box + perforated plaster Kit: box + perforated plaster 0213 0,22 lb



IP67 connector 0276 0,04 lb



0127 0,14 lb