






Code	U1581		
Description	Suspension system featuring high direct and punctual light efficiency with brass body, internal aluminum heat sink, 48-degree optical aperture and power cord		
Year of production	2020		
Typology	suspension		
Material	aluminium		
Light emission	direct		
IP grade	20		
Finishes	.01		White
	.02		Black
	.21		Glossy gold
	.25		Satin gold
Allimentation	350mA - 17Vdc		
Technical Data	/W 5.9W (1060 lm source) - 4000K - CRI>90		
	/WW 5.9W (1030 lm source) - 3000K - CRI>90		
	/XW 5.9W (969 lm source) - 2700K - CRI>90		
Optical grade	48°		
	ST		
Net weight	2,20 lb		
	98,43 inch		



SYSTEM ELEMENTS




Round ceiling rose diameter 20 cm complete with ballast - 1
Lamp

U0557/1 0,88 lb

.01 White

.02 Black




Round ceiling rose diameter 20 cm complete with ballast - 2
Lamps

U0557/2 1,10 lb

.01 White

.02 Black




Round ceiling rose diameter 38 cm complete with ballast - 3
Lamps

U0557/3 3,75 lb

.01 White

.02 Black




Round ceiling rose diameter 38 cm complete with ballast -
4-6 Lamps

U0557/6 3,97 lb

.01 White

.02 Black

SYSTEM ELEMENTS




Rectangular ceiling rose 48x24x3 cm complete with ballast
- 2 Lamps

U0979/2 4,41 lb

.01  White

.02  Black




Plasterboard ceiling rose without cable with ballast - 1 lamp

U0970 0,44 lb

.01  White

.02  Black




Round ceiling rose diameter 35 cm complete with ballast - 3
Lamps

U0980/3 2,65 lb

.01  White

.02  Black




Round ceiling rose diameter 45 cm complete with ballast - 5
Lamps

U0980/5 5,29 lb

.01  White

.02  Black



ACCESSORIES

ACCESSORIES
