




Code	U1582	
Description	Suspension system featuring high direct and punctual light efficiency with brass body, internal aluminum heat sink, 48-degree optical aperture and power cord	
Year of production	2020	
Typology	suspension	
Material	aluminium	
Light emission	live	
IP grade	20	
Finishes	.01	White
	.02	Black
	.21	Glossy gold
	.25	Satin gold
Allimentation	350mA - 17Vdc	
Technical Data	/W 5.9W (1060 lm source) - 4000K - CRI>90	
	/WW 5.9W (1030 lm source) - 3000K - CRI>90	
	/XW 5.9W (969 lm source) - 2700K - CRI>90	
Optical grade	48°	
	ST	
Net weight	2,43 lb	
	98,43 inch	



SYSTEM ELEMENTS





Plasterboard ceiling rose without cable with ballast - 1 lamp

U0970

0,44 lb

.01  White

.02  Black




Round ceiling rose diameter 20 cm complete with ballast - 1 Lamp

U0557/1

0,88 lb

.01  White

.02  Black




Round ceiling rose diameter 20 cm complete with ballast - 2 Lamps

U0557/2

1,10 lb

.01  White

.02  Black




Round ceiling rose diameter 38 cm complete with ballast - 3 Lamps

U0557/3

3,75 lb

.01  White

.02  Black



SYSTEM ELEMENTS





Round ceiling rose diameter 38 cm complete with ballast -
4-6 Lamps

U0557/6 3,97 lb

.01  White

.02  Black




Rectangular ceiling rose 48x24x3 cm complete with ballast -
2 Lamps

U0979/2 4,41 lb

.01  White

.02  Black




Round ceiling rose diameter 35 cm complete with ballast - 3
Lamps

U0980/3 2,65 lb

.01  White

.02  Black




Round ceiling rose diameter 45 cm complete with ballast - 5
Lamps

U0980/5 5,29 lb

.01  White

.02  Black



ACCESSORIES

ACCESSORIES
