



Code	U1592	
Description	Suspension lamp system with aluminum body, COB LED direct and point light	
Year of production	2019	
Typology	suspension system	
Material	aluminium	
Light emission	direct	
IP grade	20	
Finishes	.02 .25 .32 Black Satin gold Satin nickel	
Allimentation	350mA - 17Vdc	
Technical Data	/W 5.9W (1060 lm source) - 4000K - CRI>90 /WW 5.9W (1030 lm source) - 3000K - CRI>90 /XW 5.9W (969 lm source) - 2700K - CRI>90	
Optical grade	ST	
Net weight	1,54 lb	
	393,70 inch	



SYSTEM ELEMENTS





Plasterboard ceiling rose without cable with ballast - 1 lamp

U0970 0,44 lb

.01  White

.02  Black




Round ceiling rose diameter 20 cm complete with ballast - 1 Lamp

U0557/1 0,88 lb

.01  White

.02  Black




Round ceiling rose diameter 20 cm complete with ballast - 2 Lamps

U0557/2 1,10 lb

.01  White

.02  Black




Round ceiling rose diameter 38 cm complete with ballast - 3 Lamps

U0557/3 3,75 lb

.01  White

.02  Black



SYSTEM ELEMENTS





Round ceiling rose diameter 38 cm complete with ballast -
4-6 Lamps

U0557/6 3,97 lb

.01  White

.02  Black




Rectangular ceiling rose 48x24x3 cm complete with ballast
- 2 Lamps

U0979/2 4,41 lb

.01  White

.02  Black




Round ceiling rose diameter 35 cm complete with ballast - 3
Lamps

U0980/3 2,65 lb

.01  White

.02  Black




Round ceiling rose diameter 45 cm complete with ballast - 5
Lamps

U0980/5 5,29 lb

.01  White

.02  Black



ACCESSORIES

ACCESSORIES
