


Newton Spots Flat

Design Lux Studio



Code	U6468	
Description	Recessed projector for plasterboard ceilings, with swiveling rod, aluminum body and COB LED direct light. Newton Flat comes with 13° and 40° aperture beams or with frosted glass.	
Year of production	2019	
Typology	recessed ceiling	
Material	aluminium	
Light emission	widespread	
IP grade	20	
Finishes	.01	White
	.02	Black
Allimentation	500mA - 17,8Vdc	
Technical Data	/W 8.7W (1353 lm source) - 4000K - CRI>90	
	/WW 8.7W (1303 lm source) - 3000K - CRI>90	
	/XW 8.7W (1244 lm source) - 2700K - CRI>90	
Optical grade	13°	
	40°	
	ST	
Net weight	1,32 lb	
	2,01 inch	



ACCESSORIES



0127

0,14 lb



0128

0,14 lb



Multi-power dimmable driver PUSH - 1...10V, 2-11 Spot
350mA 500mA

0141/DIM

0,00 lb

.DIM  DIM



0141/DALI

0,22 lb

.DALI  DALI



0145

0,47 lb

ACCESSORIES



Multi-power DALI dimmable driver, 1-21 Spot
mA 350 500

0145/DALI

0,47 lb

.DIM  1-10V-PUSH

.1-10V  1-10V

.DALI  DALI